Reasigned Time

	gnea m					VP						President'		
						High/Low	Pank	VP			Funding	s Decision		1 1
nk	Request	Position / 0/	\$ Amount	Request Rationale	Dean's Comments	Rank		Comments	OPC Notes	OPC rankin			Comments	Notes:
	rioquest	1 001010117 /	· / / / / /	Trouble Tractorial C	Dean's comments	- Carrie	Commence	As long as	0.0.10105	0.0.0	504.00	(105/110)	Comments	110100.
								the college						į.
								wishes to						1
								participate						į.
					ranked 1: To participate in Puente the			in Puente.						1
	LA- Required to	Puente/25			program requires an English			this is						1
	field Puente	%/Ongoing		To participate in Puente the program requires an English coordinator	coordinator	High		required.						1
						_								į.
											College Wide			1
											Contingency			į.
											plus			1
											PUENTE			į.
											State			į.
					All Consists to a second state of	-	Support			high	contribution			
				L.,	All five goals in program review are related –		budgeted 1.5							í
				Attendance at all meetings (Academic Senate, PaRC, Board of Trustees, New Faculty	time is needed for officers to advance these		FTEF for							l .
				Orientation, APM, CAC, others as required). Creation of agendas, supervision of vice	initiatives		senate to							į.
	Academic Senate/			president and secretary, responses to the field, attendance at statewide and regional s			distribute as				college wide			1
	President	At least 0.75				High Rank	desired			med	carryover			
							Support							į.
				Oversee all curriculum related meetings, edit CCC meeting minutes, help to			budgeted 1.5 FTEF for							1
	Academic Senate/			prepare agendas for senate and curriculum, attend meetings in place of	All five goals in program review are related		senate to							į .
	VP Curriculum			president, remain current on all curricular matters, attend regional and statewide	- time is needed for officers to advance		distribute as				college wide			į.
	Chair	At least 0.5		meetings regarding curricu	these initiatives	High Rank	desired			med	carryover			į.
						Ť	Support							
							budgeted 1.5							1
				Maintain Senate accounts and senate website, take and prepare minutes, attend			FTEF for							1
	Academic Senate/			meetings when President and VP are not available, attend ASCCC plenary and	All five goals in program review are related		senate to distribute as							į.
	Treasurer	At least 0.25		other institutes, others as needed.	 time is needed for officers to advance these initiatives 	High Rank	desired			med	college wide carryover			1
	ricasurei	At least 0.25		other institutes, others as needed.	ulese lilitatives	riigirixank	Support case			meu	carryover			
							by-case							i
				All goals; an incoming president will have a significant learning curve and will require time			backfill as				case by case			i
	Classified Senate/	0.5 reassign		to become familiar with the many intricacies of the Senate and shared governance. Not			may be				only-			į.
	President	time		having release time makes it difficult to attract successors to the positio	Supports all program review goals	High Rank	needed			med	carryover			
				president-elect has a significant learning curve and will require time to become familiar			Support case-	1						í
							by-case							i
	Classified Senate/	0.25 reassign		with the many intricacies of the Senate and shared governance. Not having release time			backfill as may be				case by case			í
	President-elect	time		makes it difficult to attract successors to the position.	Supports all program review goals	High Rank	needed			med	only- carryover			i
				More compensated time for our part-time faculty to participate in departmental and	Capperta dii program review godis	gii i taiit	This is part of				ou.ryover			
				college-level activities			the							í
				•	Fully support this to continue Puente		agreement							í
	Puente Counselor	50%	\$46,000		program	High	with UC to							i
					p. ogram		have the							į .
							Puente				departmental			í
	1			1			program			med/high	В			

B Budget

						VP						President'		
						High/Low	Rank	VP			Funding	s Decision	1	
Rank	Requestor	B Budget	\$ Amount	Request Rationale	Dean's Comments	Rank	Comments	Comments	OPC Notes	OPC rankin	Source	(Yes/No)	Comments	Notes:
													1	
		Etudes											1 1	
		hosting and											1	
		services		Support faculty development of high-quality online course sites that are									1 1	
		(\$129,000		openly licensed for remix and reuse and in compliance with requirements for		critical for					college		1 1	
	Foothill Online	annual fee		accessibility, regular and effective contact, student authentication,		online					wide		1	
	1 Learning	for 15-16	\$129,000	documentation of attendance, FERPA,	High	instruction				high	carryover		1	

		Provide stipends to provide mentoring for instructors who are new to teaching online – one										
2	Foothill Online Learning	faculty mentor per division	\$5,000	Support inclusion of best practices for online student success, course completion, and retention	High	Existing resources?			high	department al c/o		
2	LRC	LRC, ongoin	26 250	Turnitin.com subscription renewal	Lottery funds should be used first	High	Should be lottery funded. This serves the entire college.	recommend ed even though rated med/low due to essential functions and impact on students	med/low	lottery		
high	Dean	Essential software licenses such as Mathematic a, MatLab, SolidWorks, Mathtype, TI-Emulator, Nimble Storage, Unidesk, Oracle and dedicated software for CS.		This software enables faculty to enhance lecture materials and connect with students to match different learning modes. The software requires licenses that are updated frequently, usually on an annual basis to stay paced with innovation in Silicon Valley	Some items can be purchased through lottery funding, but maintenance contracts and support require B-Budget funding.	High	More info needed. Where does the dollar amount come from? Is this an annual cost?		med/low	lottery where applicable, rest department al B		totals do not add up
high	PSME Chem	Safety and Hazmat Training for Staff and Faculty	\$1,000	Maintain a safe environment for students and staff and be in compliance with state and county EH&S regulations.	This additional training would help complete the planned Chemical Hygiene Plan, which is a state/federa n regulation. Also pays for MSDS database.	l High	This is a critical need.		med/high	request FH staff developme nt funds		
N/A	PSME Math	Math My Way TA's (Embedded Tutors)	\$30,000	Enables instructor to maintain a student-centered learning environment.	Funded annually through Basic Skills Initiative	High	Basic skills funding has already been approved.		not rated, basic skills approved	basic skills		
low	PSME- Math	Let's Play Math	\$2,000	Provides outreach and contributes to a sense of belonging for local youth. Provides advanced math students opportunity to volunteer to the field of Mathematics and within our community. This will hopefully lead to more students pursuing STEM degrees at FH	May need to find way to self-support or generate funding, but can be funded through Foundation funds as it is outreach	High	Can this be funded through foundation or 3SP?		low	foundation/ self sustaining activities		

2	LA	TLC Student Worker	\$22,000	Student workers are essential to running the TLC effectively		High	Equity funding:		med	check if equity funding still available for 14/15 (extended to Dec) or if new funding available in 15/16. Otherwise one time or department B budget, also, check with CWS and		
	Denise Swett	Virtual Career Center Program	\$8,000/yr.	Provide virtual career services online, on-demand 24/7 to meet accreditation requirements for online service provision and serve students more effectively	This program will be offered in conjunction with in-person services	High	Fully suppo		high	use OT carryover until ongoing funds available	High Rank, if college decides to proceed with Transitions Center	
	Puente Faculty	As per the MOU with the University of California, Foothill College must contribute a minimum amount of \$5,000 to cover the program costs of the following: cultural field trips and transportati on, campus visits and transportation, student orientations , and	\$5,000	This budget contribution meets our goal of maintaining the integrity of the contract between Foothill College and the University of California Puente Office. This includes financial support for reassign time for both the counselor and English Instructor a	This has been funded every year and should continue to be funded.		The coll needs fund thi be ir complia with ti MOU w the UC Puent	in prior years funded from departmen 's c/o				how many students graduate, go on visits, etc.
Lottery		DMS Purchase AV materials such as training DVD's, books, lab supplies, etc.		Success demonstrated with skills testing, general knowledge reinforcement, national board exam pass rates. Supports students learning & career preparation	LOTTERY	High	Lotter		med	Perkins/lott ery for supplies		
pres /	Academic Senate	Summer stipends	3,000	Supports continuation of office work during the summer		High Rank			med	CW carryover		

		Maintenance on a new curriculum				is this part of a PO for purchase of new	maintenanc	cw		
pres	Instruction- VP	system	\$10,000	Goal 2 Examine the benefits of moving to a new curriculum system	High Ranl		system	carryover		
pres	1	Upgrade to Resource 25 Live	\$10,000	Goal 3 Examine the benefits of moving to a new version of Resource 25	High Rani	essential for colaboratio n between instruction, rentals and activities	med/high	CW carryover		
pres		Computer and printer for Research Analyst		The request will support Goal 4 by providing the tools for the Equity Research Analyst to be successful.	High Rani		request fulfilled- expedited	carryover		
pres		Coordinator	academic year per coordinator-	Goal 1 in previous goals	High Rani		med	CW carryover		

Equipment

		Equip.				VP High/Low	Rank	VP			Funding	President' s Decision		
Rank			Amount	Request Rationale	Dean's Comments			Comments	OPC Notes				Comments	Notes:
											expected			
				Inst. Equip funds have supported the following:Books							state			
				Online resources							funding, if			
				Periodicals							not first			
				Automation system							expend all			
				Audiovisual materials							prior years			
				Collection development and cataloging toolsInst. Equip funds have supported the							allocation			
				following:Books							then one			
				Online resources							time funds			
		Instructional		Periodicals	If Inst. Equip funds are available these	Duplicate					from carry			
1	LRC	Equip Funds	\$225,000	Automa	should be tapped first.	request				med/high	over			
		VT Small												
		Instruments												
		: Medical												
		Equipment:												
		Hematology												
		Analyzer,												
		Coagulation			high priority Ask Lisa to break down									
high priorit	/ BHS-VT	Analyzer	45,000		each	high		Perkins?		med/high	Measure C			

		1	1	Equipment is the crux of the DMS program. It is lab equipment to train our	1	1					1		
		DMS		future sonographers which are highly skilled and sought after. Career		1							
		Replace				1							
		outdated US		reparation/education to meet patient's needs. Supports students learning &		1							
		equipment		career preparation. Supports Str		1							
		o				1							
						1							
		transducers.				1							
		Has been				1							
		requested				1							
		since 2010.				1							
		Request				1							
		first				1							
		replacemen				1							
		t for 2014				1							
		and one per				1							
		year for 3				1							
		years.				1							
		Average life				1							
		expectancy	Approx.			1							
			\$155,000.			1							
		3 of the 5	per system.			1							
		major	Request two			1							
		ultrasound	machines to			1							
		equipment	replace the			1							
		is severely	oldest ones			1			propose to				
highest		outdated.	for 2015-			1		Perkins?	fund only				
priority	BHS-DMS	Dates of	2016.		highest priority	high	l,	Donations?		med	Measure C		
priority	DITO DIVIS		By 2013		ingrest priority	g.i		Donations:	one	meu	IVICUSUIC C		
			Part of last			1							
			year's			1							
			Program			1							
		DMS	Summary of			1							
		Software	Planning			1			removed				
		upgrades	Goals &			1			from				
		within 3	Action			1			consideratio				
lottery	BHS	Years		Moote student success as per college Mission Statement and the COB's	LOTTERY	High		Lottery?	n by dean				
lottery	ВПЭ	rears	ridiis.	Meets student success as per college Mission Statement and the COR's.	Ask John Atkins. To turn over	nigii	-	Lottery	ii by deaii				
1					desktops for laptops Can biology still								
		PHT			have Ask John Atkins. To turn over	1							
1		Computer		Goal #10e Pharmacy Software is loaded on computer terminals and prescription	desktops for laptops Can biology still				look for				
1		Terminals in									cnara		
1		the			have Ask John Atkins. To turn over		_ ا		available pc or look for		spare		
	nuc.			provide some in class terminals for this purpose. By having adequate funding to	desktops for laptops Can biology still	lur-t-		xisting			computers/		
	BHS	classroom	\$10,000	provide enough compu	have	High	r	esources	lowest cost	med/low	Measure C		
1									proposing				
1			\$1700-						proposing				
1		BIO	\$1700- \$2500 each						replacing				
1		-	I.				.		old,				
1		Microscope	(total					Need to	damaged				
1		s -dissecting		The current status is such that the third course of the majors series (Biology 1C)	1			determine	microscopes				
1		(N=16) -		does not have enough microscopes such that each student can have one and that				lollar	only 16				
	L	compound		in some of the GE classes, microscopes literally have to be carried back and forth		1		mount of	pieces,				
	BHS	light (N=33)	[purchased)	between cla	set	High	r	equest	approx \$40K	med/low	measure C		

		BIO											
		Outdoor											
		classrooms											
		-											
		Developme											
		nt of several											
		campus											
		locations for											
		use as											
		outdoor											
		classrooms.						currently no					
		These areas						funding and					
		would						slight delay					
		include the						due to					
		open area						construction					
		bounded by						. Plans to					
		the lower						proceed					
		campus						with all or					
		Biology				1		parts are					l
		building and	1					incorporate					
1			1			1 1				1			
		the new				1		d in					l
		counseling	\$1,000,000			1 1		Facilities					
1			(looking for			1 1		Master Plan		1			
				L		1							l
		and	foundation	Goal 11 Project based learning is a good way to enhance student knowledge of		1 1		contingent					
		admissions	or grant	concepts and processes in biology as well as deepen their understanding of the				on funding.					
1					Dotor Murroy to raise manage and a lan	1				foundation /			l
		building for	funding for	scientific method. It will enhance student retention and success and, if done	Peter Murray to raise money once plan			Proposed		foundation/			
	BHS	an evolut	this)	properly, could lead	is scoped out in detail	High	funding	fundraising	low	fundraising			
		DA High											
		volume		Cool 2. The IN/F system is about 10 years old and is abouting signs of year. The									
				Goal 2. The HVE system is about 10 years old and is showing signs of wear. The									
		evacuator		back-up system is being used daily. It's dangerous if it shuts down and backflow	TOP PRIORITY FOR DIVISION Safety								
top priority	BHS	(suction)	15,000	can exit out the tip into the patient's mouth.	issue for patients	High	Safety		high	Measure C			
top priority	5115	(Succion)	13,000	can exit out the up into the patient smouth	issue for patients.			Brenda to		ivicusure e			
								Brenda to					
		DA Fix		Goal 4. Remodel lab classroom. Electrical system was to be addressed during				investigate		one time			cost may be
1													
		electrical		remodel and promised that that retractable ceiling outlet would be placed after				issue and		funds/maint			higher, thi is
		electrical outlets in		remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on				issue and recommend		funds/maint /capital		I	higher, thi is an old
safety need	внѕ	electrical	2,000	remodel and promised that that retractable ceiling outlet would be placed after	Safety priority for studnets or faculty	High		issue and	med	funds/maint		I	higher, thi is
safety need	BHS	electrical outlets in	2,000	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on		High		issue and recommend		funds/maint /capital		I	higher, thi is an old
safety need	внѕ	electrical outlets in	2,000	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on		High		issue and recommend		funds/maint /capital		I	higher, thi is an old
safety need	BHS	electrical outlets in room 5301	2,000	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on		High		issue and recommend solutions		funds/maint /capital		I	higher, thi is an old
safety need	внѕ	electrical outlets in	2,000	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on		High		issue and recommend		funds/maint /capital		I	higher, thi is an old
safety need	внѕ	electrical outlets in room 5301 DA Replace	2,000	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on		High		issue and recommend solutions if foundatrion		funds/maint /capital		I	higher, thi is an old
safety need	внѕ	electrical outlets in room 5301 DA Replace x-ray	2,000	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on		High		issue and recommend solutions if foundatrion exhausted,		funds/maint /capital		I	higher, thi is an old
safety need	BHS	electrical outlets in room 5301 DA Replace x-ray tubeheads	2,000	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on	Safety priority for studnets or faculty	High		issue and recommend solutions if foundatrion exhausted, ask for		funds/maint /capital projects		I	higher, thi is an old
safety need	внѕ	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year	2,000	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on		High		issue and recommend solutions if foundatrion exhausted,		funds/maint /capital		I	higher, thi is an old
		electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year		remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w	Safety priority for studnets or faculty Safety Priority radiation risk to			issue and recommend solutions if foundatrion exhausted, ask for residual	med	funds/maint /capital projects foundation		I	higher, thi is an old
safety need	BHS BHS	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019)		remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on	Safety priority for studnets or faculty Safety Priority radiation risk to	High		issue and recommend solutions if foundatrion exhausted, ask for		funds/maint /capital projects		I	higher, thi is an old
		electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace		remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w	Safety priority for studnets or faculty Safety Priority radiation risk to			issue and recommend solutions if foundatrion exhausted, ask for residual	med	funds/maint /capital projects foundation		I	higher, thi is an old
		electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic		remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w	Safety priority for studnets or faculty Safety Priority radiation risk to			issue and recommend solutions if foundatrion exhausted, ask for residual	med	funds/maint /capital projects foundation		I	higher, thi is an old
		electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace		remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w	Safety priority for studnets or faculty Safety Priority radiation risk to			issue and recommend solutions if foundatrion exhausted, ask for residual	med	funds/maint /capital projects foundation		I	higher, thi is an old
		electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors		remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w	Safety priority for studnets or faculty Safety Priority radiation risk to		Safety	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins	med	funds/maint /capital projects foundation		I	higher, thi is an old
		electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2		remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w	Safety priority for studnets or faculty Safety Priority radiation risk to		Safety	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two	med	funds/maint /capital projects foundation		I	higher, thi is an old
		electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per		remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w	Safety priority for studnets or faculty Safety Priority radiation risk to		Safety	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two requests,	med	funds/maint /capital projects foundation		I	higher, thi is an old
		electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2		remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w	Safety priority for studnets or faculty Safety Priority radiation risk to		Safety	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two	med	funds/maint /capital projects foundation		I	higher, thi is an old
safety need	внѕ	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per year 2014-	(\$5,000 ea)	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray	Safety priority for studnets or faculty Safety Priority radiation risk to s patients	High	Safety	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two requests, second for	med	funds/maint /capital projects foundation account		I	higher, thi is an old
safety need		electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per year 2014- 2015)		remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w	Safety priority for studnets or faculty Safety Priority radiation risk to s patients		Safety	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two requests, second for	med	funds/maint /capital projects foundation		I	higher, thi is an old
safety need	внѕ	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per year 2014- 2015) DA Replace	(\$5,000 ea)	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray	Safety priority for studnets or faculty Safety Priority radiation risk to s patients	High	Safety	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two requests, second for	med	funds/maint /capital projects foundation account		I	higher, thi is an old
safety need	внѕ	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per year 2014- 2015)	(\$5,000 ea)	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray	Safety priority for studnets or faculty Safety Priority radiation risk to s patients	High	Safety	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two requests, second for	med	funds/maint /capital projects foundation account		I	higher, thi is an old
safety need	внѕ	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per year 2014- 2015) DA Replace Air	(\$5,000 ea)	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray	Safety priority for studnets or faculty Safety Priority radiation risk to s patients	High	Safety	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two requests, second for	med	funds/maint /capital projects foundation account		I	higher, thi is an old
safety need	внѕ	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per year 2014- 2015) DA Replace artomatic processors total of 2 (one per year 2014- 2015)	(\$5,000 ea)	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray	Safety priority for studnets or faculty Safety Priority radiation risk to s patients	High	Safety	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two requests, second for	med	funds/maint /capital projects foundation account		I	higher, thi is an old
safety need	BHS	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per year 2014- 2015) DA Replace Air Techniques digital	((\$5,000 ea)	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray Goal 2. Equipment replacement schedule to support digital and traditional x-ray	Safety priority for studnets or faculty Safety Priority radiation risk to spatients s high	High High	Safety Perkins? Or?	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two requests, second for next year	med med	funds/maint /capital projects foundation account		I	higher, thi is an old
safety need	внѕ	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per year 2014- 2015) DA Replace artomatic processors total of 2 (one per year 2014- 2015)	(\$5,000 ea)	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray	Safety priority for studnets or faculty Safety Priority radiation risk to spatients s high	High	Safety	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two requests, second for next year	med	funds/maint /capital projects foundation account		I	higher, thi is an old
safety need	BHS	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per year 2014- 2015) DA Replace Air Techniques digital	((\$5,000 ea)	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray Goal 2. Equipment replacement schedule to support digital and traditional x-ray	Safety priority for studnets or faculty Safety Priority radiation risk to spatients s high	High High	Safety Perkins? Or?	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two requests, second for next year	med med	funds/maint /capital projects foundation account		I	higher, thi is an old
safety need	BHS	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per year 2014- 2015) DA Replace Air Techniques digital	((\$5,000 ea)	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray Goal 2. Equipment replacement schedule to support digital and traditional x-ray	Safety priority for studnets or faculty Safety Priority radiation risk to spatients s high	High High	Safety Perkins? Or?	issue and recommend solutions If foundatrion exhausted, ask for residual Perkins one of two requests, second for next year	med med	funds/maint /capital projects foundation account		I	higher, thi is an old
safety need	BHS	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per year 2014- 2015) DA Replace Air Techniques digital scanner	((\$5,000 ea)	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray Goal 2. Equipment replacement schedule to support digital and traditional x-ray	Safety priority for studnets or faculty Safety Priority radiation risk to spatients s high	High High	Safety Perkins? Or? Perkins? Or?	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two requests, second for next year they need 2,	med med	funds/maint /capital projects foundation account Measure C		I	higher, thi is an old
safety need	BHS	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per year 2014- 2015) DA Replace Air Techniques digital	((\$5,000 ea)	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray Goal 2. Equipment replacement schedule to support digital and traditional x-ray	Safety priority for studnets or faculty Safety Priority radiation risk to spatients s high	High High	Safety Perkins? Or? Perkins? Or?	issue and recommend solutions If foundatrion exhausted, ask for residual Perkins one of two requests, second for next year	med med	funds/maint /capital projects foundation account		I	higher, thi is an old
safety need	BHS	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per year 2014- 2015) DA Replace Air Techniques digital scanner	((\$5,000 ea)	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray Goal 2. Equipment replacement schedule to support digital and traditional x-ray	Safety priority for studnets or faculty Safety Priority radiation risk to spatients s high	High High	Safety Perkins? Or? Perkins? Or?	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two requests, second for next year they need 2, have one, 2, have one, 2, have one, 2	med med	funds/maint /capital projects foundation account Measure C		I	higher, thi is an old
safety need	BHS	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year) 2013-2019 DA Replace automatic processors total of 2 (one per year 2014-2015) DA Replace Air Techniques digital scanner	((\$5,000 ea)	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray Goal 2. Equipment replacement schedule to support digital and traditional x-ray	Safety priority for studnets or faculty Safety Priority radiation risk to spatients s high	High High	Safety Perkins? Or? Perkins? Or?	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two requests, second for next year they need 2, have one, processing	med med	funds/maint /capital projects foundation account Measure C		I	higher, thi is an old
safety need	BHS	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per year 2014- 2015) DA Replace Air Techniques digital scanner	((\$5,000 ea)	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray Goal 2. Equipment replacement schedule to support digital and traditional x-ray	Safety priority for studnets or faculty Safety Priority radiation risk to spatients s high	High High	Safety Perkins? Or? Perkins? Or?	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two requests, second for next year they need 2, have one, 2, have one, 2, have one, 2	med med	funds/maint /capital projects foundation account Measure C		I	higher, thi is an old
safety need	BHS	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year) 2013-2019 DA Replace automatic processors total of 2 (one per year 2014-2015) DA Replace Air Techniques digital scanner	((\$5,000 ea)	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray Goal 2. Equipment replacement schedule to support digital and traditional x-ray	Safety priority for studnets or faculty Safety Priority radiation risk to spatients s high	High High	Safety Perkins? Or? Perkins? Or?	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two requests, second for next year they need 2, have one, processing	med med	funds/maint /capital projects foundation account Measure C		I	higher, thi is an old
safety need high	BHS BHS	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per year 2014- 2015) DA Replace Air Techniques digital scanner	((\$5,000 ea) 8,000 20,000	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray Goal 2. Equipment replacement schedule to support digital and traditional x-ray Goal 2. Equipment replacement schedule to support digital and traditional x-ray Goal 2. Equipment replacement schedule to support digital and traditional x-ray Goal 2. Equipment replacement schedule to support digital and traditional x-ray Goal 2. Equipment replacement schedule to support digital and traditional x-ray Goal 2.	Safety priority for studnets or faculty Safety Priority radiation risk to s patients s high	High High	Safety Perkins? Or? Perkins? Or?	issue and recommend solutions if foundatrion exhausted, ask for residual Perkins one of two requests, second for next year they need 2, have one, processing is slowed down with	med med med	funds/maint /capital projects foundation account Measure C Measure C		I	higher, thi is an old
safety need high	BHS	electrical outlets in room 5301 DA Replace x-ray tubeheads (1 per year 2013-2019) DA Replace automatic processors total of 2 (one per year 2014- 2015) DA Replace Air Techniques digital scanner	((\$5,000 ea) 8,000 20,000	remodel and promised that that retractable ceiling outlet would be placed after the remodel several years ago. It's a hazard to have multiple extension cords on the floor when w Goal 2. Equipment replacement schedule to support digital and traditional x-ray Goal 2. Equipment replacement schedule to support digital and traditional x-ray	Safety priority for studnets or faculty Safety Priority radiation risk to spatients s high	High High	Safety Perkins? Or? Perkins? Or?	issue and recommend solutions If foundatrion exhausted, ask for residual Perkins one of two requests, second for next year they need 2, have one, processing is slowed	med med med	funds/maint /capital projects foundation account Measure C		I	higher, thi is an old

	1	I	1	T		1	l I					
								new health				
								demandsreq				
								uire				
								additional				
								training,				
								suggest				
		RT Personal						fundibng				
		Protective		Goal 2. These supplies would allow for increased training to deal with infectious				from lottery				
		Equipment		diseases such as Ebola. This aligns with California Department of Public Health's				for as long		one time		
l			4=00									
lottery	BHS	Supplies	\$500	recommendations.	Lottery	High	Lottery?	as needed lov	w	lottery		
		RT ASRT						removed				
		Computed						from				
		Tomograph						consideratio				
		y and						n-already				
		Mammogra		Goal 2. These modules would increase educational opportunities for students to				funded from				
		phy		learn the most up to date information regarding CT and Mammography				one time				
high	BHS	Modules	\$3,000	equipment and procedures.	High	High	Perkins?	lottery				
				· · · · ·	1	T	more	,				
1							stations					- 1
1		a date:										
1		Additional					would allow	/				- 1
1		computers					for higher					- 1
		to Augment					class size					
		Exisiting	\$30,000 for		Needed to run current CS labs		and					ask for
			20									more
		Computer		Equipment to help faculty provide in-person assistance to students in classes, and to	properly; potentially fund through		increased					
high	CS- high	Classrooms	computers	meet current CS class size limits.	Measure C	High	FTES	hig	gh	Measure C		information
		Vacuum										
		Pumps for										
		CHEM 30B										
		to avoid										
		contaminati										
		on of house	6 v \$726 -		HIGH; necessary to continue proper							
la t acta	Chamilatan bilah	vacuum line		Maintain laboration at an incident and a set in		L P - Is	C-f-t-		- 476-1-6			
high	Chemistry- high		\$4356	Maintain laboratory standards and continue planned experiments	experiments and meet EH&S standards	High	Safety.	me	ed/high	Measure C		ask victor
		New										
		exhaust					This was					
		system in			Was approved last year, canceled by		funded last			department		
1 .	1 Art	Ceramics	4500	#1- safety hazard, out of compliance	Plant Services	High	year?	hig	ah.	al B		- 1
<u> </u>	TIMIL		4300	#1- Salety Hazaru, out of compilance	riant services	nign		nış	RII	ai B		
1		Glaze room					This was					- 1
1		exhaust			Was approved last year, canceled by		funded last			department		- 1
:	2 Art	hood	5000	#2- safety hazard, out of compliance	Plant Services	High	year?	hig	gh	al B		
						T	ľ					
1							High,					- 1
1												I
	1				1		depending					- 1
1							on life of					- 1
1							wireless					- 1
1		Wireless					mic. If they			use		I
1		1										- 1
1		mic					last 5 years			department		- 1
1	1	installation			1		or more,			foundation		- 1
		in Lohman					then it save	s		or rental		
	3 Theater	Theatre	10000	#3- we currently spend 2-3K per year on rental, will save money in long term	Saving \$ is good!	High	money.	lov	w	revenue		
	Jcutci	cutic	10000	ins we carrendy spend 2 sk per year off rental, will save money in long term	5000t	511	Intolicy.	100	•	- CVCIIGC		
1												
1	1				1					use		- 1
1		New lighting								department		- 1
1		control								foundation		I
1	1	console in			System is worn out and needs to be					or rental		- 1
	4		5000			Lucialia.			1 /1			- 1
1 4	4 Theater	Lohman	6000	Current lighting system is 12 years old - does not work with modern equip	replaced	High		me	ed/low	revenue		
				·	-							

	Naomi Kitajima	Complete constructio n and installation of disability accessible door for Psychologic al Services	12000	*Compliance with National Ambulatory Care Accreditation standards. *Provide better access to services. *Provide efficient usage to the Health Services and Psychological Services *Compliance with National Ambulatory Care Accreditation standards. *Provide b	Needs to be done to meet ADA regs	High	Pending installation	possible use of DSPS, check if project planned or if we can still request DSP&S approval	high	DSP&S or campus ctr funds	v	follow up with Pat re use of DSPS
	Melanie Hale	Chairs for Therapist Offices	\$6,400	Increased staffing and address ADA compliance issues		High		free chair, one one large was needed	no purchase necessary			
	Melanie Hale	File Cabinet	\$800	Preserve existing records		High	Check with Brenda Visas Davis	med/high	Measure C but check for surplus		r le f	should the records be eft in paper form or scanned?
		EN 4C				High, but		from				
	BHS	EMS Ambulance		Decrease skill degradation and improving confidence and competeny in patient care	Cynthia Harrison to provide	use existing resources.		consideration by dean				
	BHS	DH Replace small student desks with tables & chairs in room 5302, purchase 3 locking storage cabinets (Not sure, need 30 chairs & 15 tables that will seat 2 persons at each table) 19/22	\$30,000	Goal #3 (New Goals) - Students need appropriate tables and desks to work in small groups on case studies and cooperative learning exercises. Corresponds to Student Success.	Ask Brenda Davis	High, but use existing resources.		check with Asha for available furniture	med high	Measure C		
		Standard Taper Glassware to Replace Borken	24 X \$30 =		Fund through Division or College	High, but use existing	Existing					
low 5	Chemistry- low	LED lighting in Lohman	\$720 10000	Maintain laboratory standards and continue planned experiments LED technology is revolutionizing the entertainment industry- flexibility and longevity of these fixtures would decrease time required between events	Lothery funds Lohman is badly underused as a college facility- generates no income as rental	High/if this would increase rental potential	resources	need more information re: project	med/low	use Lohman rental revenue first if within \$10K		
pres	Classified Senate	Video Conferencin g Equipment/ CCC confer/Zoo m	\$5,000	Supports college and all goals		Request for More Information		Zoom already available, provide training	low			

Facilities

						VP						President'		
		Facilities					Dani.	VP			F din	s Decision		
				n	S	High/Low	Rank		one way		Funding			
Rank	Requestor	Request	\$ Amount	Request Rationale	Dean's Comments	Rank			OPC Notes	OPC rankin	Source	(Yes/No)	Comments	Notes:
								Although a						
		Expand the						high						
		PSME						priority, this						
		Center to						cannot be						
		accommoda						funded						
		te						without						
		expanded						another						
		student						bond, or			no fundina			
		demand			PSME Center is WSCH generating;			alternate	no program		identified,			
		and		Increasing the space for students to learn, study and interact with supplemental	the more students that can be served			funding	review		none			
											available			
	1	workshops	\$500,000	instructors will help with success and retention efforts.	helps with retention and budget.	High		sources.	posted	med	avallable			
		New Turf for	Annrov					Funded	in progress,					
		Football Field						through	safety					
		FOOtball Field	\$595,000.00					existing	issues,					
	1 Athetics			Major Rental Facility/Has exceeded normal life span	#1 division Priority/rental income	High		resources?	approved	high				
								Rental	project					
								income	delayed due					
			Approx.					could	to.					
		New Turf for	\$259,000.00					justify the	insuficient					
	2 Athetics	Soccer Field		Field is in state of disrepair/could be a major source of rental income	#2 division Priority/rental income	High		cost?		high				
	ZIAUIEUCS	Soccer Field		rield is in state or disrepair/could be a major source or rental income	#2 division Priority/Terital Income	nigii	ļ	COSE	runung					
											one time			
											funding			
		L .	Approx.								(sched.			
		Sand	\$247,746.00								Maint set			
		Volleyball	\$247,746.00								aside)/facili			
		Facility - 4									ty rentals if			
	3 Athetics	courts		Can be located between Tennis Courts and lower parking	#3 division Priority/rental income	High		Rental			available			
		courts				9				med, ion				
														roof was
							Roof leaks							
							over a							leaking this
							computer							year, need
							classroom.							to work
		KCI Dome	\$100,000	Maintain the Facility-the roof leaks and there is water when it rains in the	The roof leak is into a classroom,	1	The roof	1						with Plant
	1 Gay Krause	Paneis			which results in classroom	High		1						Services/dir
1		Replacement	(estimate)	server room.	disruption/moving classes.		needs to be							of oper to
		1					replaced							address
		1					before the				scheduled			fixing roof
		1					next rainy				maint plus			through
		1	1			1	season.	1						
1						1		1	need new		college			sched maint.
		1	1	I		1	1	1	estimate	high	match			maint.

One Time

Rank	Requestor	Descriptio n		Request Rationale	Dean's Comments	VP Rank High/Low	Rank Comments	VP Comme			Funding Source	President' s Decision (Yes/No)	Comments	Notes:
		Student Support	45.000						Dragon, Kurzweil, Study skill softwareis this available in DRC?, possible use of DSP&S		lottery if WSCH generating			
	P. Starer N. Galoyan	Software Rearrange space and add more cubicles for full-time staff in A & R since Degree Audit has moved to 8100		Need additional work space for staff in Admission and Records as we have run out of cubicles	Lottery? Fully support reconfiguration of space and addition of cubicles	High		Need immediatle y for evaluations specialists	expedited for 3SP	med	or one time			

	D. Swett	Title IX training for certification of administrat ors, faculty and staff for all required Title IX functions	\$30,000	To implement new Title IX regulations we need to certify coordinators, investigators and provide trainings to administrators, faculty, staff and students	This is an unfunded mandate that requires immediate compliance. Funding will support in-person training, online training, informational materials and online student information like the video "not Anymore"	High		Immediate need to implement all facets of this mandate and come into compliance	one time carryover or staff developmen t	high			
	Laureen Balducci	Rearrange tutoring area in EOPS and add cubicles to help students 1 on 1	\$2,740	Needed to accommodate students who need a quiet and focused tutoring space	Fully support request to accommodate students	High		Need immediatel y to assist students	expedited for 3SP program	high		F	not in program review
	Pat Hyland	Funding for trainings, conference and surveys to be implemente d	\$15,000	There have been significant changes and updates in compliance requirements for Section 504, Title IX as well as Title II (see US Dept. of Ed Dear Colleague letter 2014). By receiving up-to-date training, we will be better able to appropriately address con	Trainings and information to manage these new regulations is essential	High		Critical to the function of judicial affairs to have training and understandi ng of new regulations	carryover	high		i 0	ask Laureen/Pat if this is duplicate request (30K)
	Denise Swett	Expenses connected with moving the Transfer Center to the Transitions Center in Building 5400.	\$15,000	Implement a Transitions Center centralizing career and transfer programs in one location.	Fully support this combination of essential services	HIGH		This is essential to create a one-stop service location for career and transfer assistance	department B carryover	low			President ranked high \$15K if college decides to proceed with move
pres		Expenses connected with moving Transfer Center to the Transitions Center in 5400-Also, Expenses Connected with additional technology		Implement a Transitions Center centralizing career and transfer programs in one location		High Rank, if college decides to proceed with Transitions Center	as part of this request, \$15K was requested but we deleted as it was duplicate request from above (SS) President ranked high \$15K if college decides to proceed with move		department B carryover				
pres		Five stipends of \$400 each for faculty to subsidize their purchase of regalia		Increase faculty participation in committees and other groups on campus (listed under previous goal section): the senate would like to support the commencement committee's initiative to increase faculty participation in commencement activities		Request for More Information on Alternate Options				low	not elligible for gereral fund expeditures , possible use of foundation if available college		
pres		Website Redesign	\$150,000	Redesigning the website will allow for greater access to info by both faculty and students	High Priority	High Rank				high	wide carryover		

pres		Classified Senate to purchase regalia for graduation attendance of Classified Staff	aligns with a similar request from Academic Senate. The senate would like to support the commencement committee's initiative to increase staff participation in commencement activities. The regalia would be the ownership of the senate and \$2,000 returned after ea		Request for More Information on Alternate Options				not elligible for gereral fund expeditures , possible use of foundation if available		
		Purchase new					comes with maintenanc				
		curriculum	Purchasing a new curriculum system is related to Goal 2 and would allow us to contin	ie			e request		cw		
pres	Instruction- VP	system	\$75,000 to meet every increasing state scrutiny of our curriculum.				\$10K	high	carryover		
		Training for	This would help achieve Goal 3 by providing the necessary training before conversion	/		· ·			CW		
pres	Instruction-VP	resource 25	\$10,000 upgrade so that the system can be fully utilized.					med/high	carryover		